
Zettonics
Modular Optical Infrastructure

TEN^{21}- High Density 0U Solution


The Zettonics TEN^{21} 0U solution is designed to allow outside rack U space installation of Zettonics TEN^{21} MTP/MPO, preterm cassettes or splice modules. The mounting plate can be installed in a variety of positions creating multiple connections outside rack structures.







Multiple fibre and copper cassette options: multimode / singlemode LC, SC, ST, FC, C6A unshielded / shielded





FLEXIBLE CONFIGURATIONS



FRONT & REAR CASSETTE LOADING




EASY CASSETTE LOCK AND RELEASE LATCHING MECHANISM

© 2019 Zettonics Limited. All rights reserved, product specifications may change without prior notice.
Third party trademarks mentioned are the property of their respective owners

Zettonics
Modular Optical Infrastructure

TEN[21]- High Density 0U Solution

The Zettonics TEN[21] 0U solution is designed to allow outside rack U space installation of Zettonics TEN[21] 1U chassis. The chassis can be mounted in a variety of positions including top of rack and side of rack, creating multiple connections outside rack structures.



Product Specifications			
No. of Rack Spaces	1U	Mount Options	Front Mounting Ears (recessable) 0U, Top and Side of Rack Options
Cassette Capacity	5 Cassettes	Housing Material Wall Material Divider Material	Cold Rolled Steel - Powder Coated, Stipple Finish, Black RAL (9005) PA66 Black RAL (9005) CR4 Steel - Clear Zinc Passivated
Fibre Count	120 LC Fibres 60 SC Fibres	Free of Hazardous Substances	RoHS/REACH SVHC
Enclosure Type	Standard 19” Rack Mountable	Product Dimensions (WxDxH)	484x98x44mm
Compliant with	TIA/EIA-568-3.D ISO/IEC 11801 EN 50173-1	Packaging Dimensions (WxDxH)	510x110x50mm
Application	Compatible with Zettonics TEN[21] Cassettes	Shipping Information	1/1 - 1.65kg

HIGH PERFORMANCE

SCALABLE SOLUTIONS


FAST LEAD TIMES

© 2019 Zettonics Limited. All rights reserved, product specifications may change without prior notice.
Third party trademarks mentioned are the property of their respective owners

Zettonics
Modular Optical Infrastructure

TEN[21]- High Density 0U Solution

The Zettonics TEN[21] 0U solution is designed to allow outside rack U space installation of Zettonics TEN[21] 2U chassis. The chassis can be mounted in a variety of positions including top of rack and side of rack, creating multiple connections outside rack structures.



Product Specifications			
No. of Rack Spaces	2U	Mount Options	Front Mounting Ears (Recessable) 0U, Top and Side of Rack options
Cassette Capacity	12 Cassettes	Housing Material Wall Material	Cold Rolled Steel - Powder Coated, Stipple Finish, Black RAL (9005) PA66 Black RAL (9005)
Fibre Count	288 LC Fibres 144 SC Fibres	Free of Hazardous Substances	RoHS/REACH SVHC
Enclosure Type	Standard 19” Rack Mountable	Product Dimensions (WxDxH)	484x98x88mm
Compliant with	TIA/EIA-568-3.D ISO/IEC 11801 EN 50173-1	Packaging Dimensions (WxDxH)	510x110x100mm
Application	Compatible with Zettonics TEN[21] Cassettes	Shipping Information	1/1 - 1.65kg

HIGH PERFORMANCE

SCALABLE SOLUTIONS

FAST LEAD TIMES

© 2019 Zettonics Limited. All rights reserved, product specifications may change without prior notice.
Third party trademarks mentioned are the property of their respective owners